

BEST AVAILABLE COPY



Bo4/03818



INVESTOR IN PEOPLE

**PRIORITY
DOCUMENT**

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

REC'D 21 OCT 2004


WIPO PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.


Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Andrew Gersey

Dated 27 September 2004



- 8 OCT 2003



080CT03 EB42893-1 C69640
P01/7700 0.00-0323497.8

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road
Newport
South Wales
NP10 8QQ

1. Your reference

IB/jar

2. Patent application number

(The Patent Office will fill this part in)

0323497.8

8 OCT 2003

3. Full name, address and postcode of the or of each applicant (underline all surnames)

Banham Poultry Ltd
Station Road
Attleborough
Norfolk NR17 2AT

Patents ADP number (if you know it)

8728412001

If the applicant is a corporate body, give the country/state of its incorporation

GB

4. Title of the invention

A METHOD OF TREATING WASTE

5. Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

i.p. 21 Limited
Norwich Research Park
Colney
NORWICH
NR4 7UT
United Kingdom (GB)

Patents ADP number (if you know it)

8143653001

6. Priority: Complete this section if you are declaring priority from one or more earlier patent applications, filed in the last 12 months.

Country

Priority application number
(if you know it)

Date of filing
(day / month / year)

7. Divisionals, etc: Complete this section only if this application is a divisional application or resulted from an entitlement dispute (see note f)

Number of earlier UK application

Date of filing
(day / month / year)

8. Is a Patents Form 7/77 (Statement of inventorship and of right to grant of a patent) required in support of this request?

Answer YES if:

- a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body.
- Otherwise answer NO (See note d)

YES

Patents Form 1/77

9. Accompanying documents: A patent application must include a description of the invention. Not counting duplicates, please enter the number of pages of each item accompanying this form:

Continuation sheets of this form 0

Description 6

Claim(s) 2

Abstract 0

Drawing(s) 1 + 1 RM

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for a preliminary examination and search (Patents Form 9/77)

Request for a substantive examination (Patents Form 10/77)

Any other documents (please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature(s)

ip21 limited by IB Date 07.10.2003

12. Name, daytime telephone number and e-mail address, if any, of person to contact in the United Kingdom

01603 457008

ianbishop@ip21.co.uk

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered YES in part 8, a Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- Part 7 should only be completed when a divisional application is being made under section 15(2), or when an amendment is being made under section 28(1) or 28(2) following an advertisement under section 22(1) or 22(2) or when an amendment is being made under section 28(1) or 28(2) following an advertisement under section 22(1) or 22(2).

5

- 1 -

10

A METHOD OF TREATING WASTE

Field of the Invention

15

This invention relates to a method of treating waste.

Background to the Invention

20 In the context of the rise of environmental consciousness and the tightening of environmental legislation, industry is currently using a wide variety of waste treatment methods. These include for example: incineration, anaerobic digestion, land fill, thermophilic composting, by-product rendering, gasification and pyrolysis. The present invention is in essence an improvement to a gasification method of treating waste. The
25 closest prior art known to the applicant comprises a drier using a turbulent flow of heated air and a centrifuge action followed by a gas converter to convert waste into gas suitable for combustion. This prior art method takes untreated general domestic waste and submits the waste directly to this two-step process of drying and gasification.

30 One of the objectives of the present invention is to present a method which can be suitable for the treatment of not only primarily solid domestic waste but also can be used to treat waste with a high liquid content. It is a further objective of this invention to provide a method which is suitable for liquid/solid mixture waste treatment.

The invention also aims to provide a method which has improved thermal characteristics. The invention further aims at reducing or eliminating altogether undesirable odour emission.

5

It is also a particular objective of the invention to present a method of treatment of waste suitable for treatment of poultry waste containing feathers.

Summary of the Invention

10

In a first broad aspect, the invention provides a method of treating waste comprising the steps of drying said waste and submitting said dried waste to gasification for producing a combustible gas, characterised in that the method comprises the step of separating the waste into a portion for shredding and a portion for filtering prior to drying.

15

This combination of method steps is particularly advantageous because it allows the method to apply to waste which is other than pure solid waste and particularly to waste where there is a portion of solid, associated with a high portion of liquid/solid mixture waste. This method contributes to maximising the amount of waste susceptible of being submitted to drying and gasification. This will also reduce the extent to which waste liquid would have to be treated to meet stringent environmental levels.

In a second broad aspect, the invention provides a method of treating waste, comprising the steps of drying said waste and submitting said waste to gasification for producing a combustible gas, characterised in that the method comprises the step of submitting liquid waste with solids in suspension in the liquid to filtering means to substantially separate primarily solid waste from primarily liquid waste prior to drying said primarily solid waste.

This combination of method steps is unique in that it allows the treatment in this context of liquid waste containing solids in suspension which would hitherto have been simply discarded.

In a third broad aspect, the invention provides a method of treating waste, comprising the steps of drying said waste by supplying heated air to said waste, submitting said dried waste to gasification for producing a combustible gas, burning said gas to generate electricity and exchanging heat from the burning of the gas with the air supply to the waste for drying the waste.

Providing such a heat exchange renders this method more energy efficient and more environmentally friendly. This is particularly beneficial when drying materials which have a high liquid content near 30% because the energy consumption for satisfactorily drying this kind of waste would otherwise be quite substantial.

In a fourth broad aspect, the invention provides a method of treating waste, comprising the steps of collecting and cooling waste, drying said waste and submitting said dried waste to gasification for producing a combustible gas.

Cooling waste marks a radical departure from the prior art teaching of either simply adequately sealing waste or treating gaseous emissions from waste.

In a subsidiary aspect in accordance with any of the preceding aspects, the method when applied to waste containing feathers comprises the step of submitting quills of feathers to a cutter with a plurality of cutter blades so configured to section the quills.

This is particularly advantageous, it reduces the risk of any quills progressing through the system and possibly blocking certain areas. This method therefore is advantageous because it reduces the frequency at which any apparatus implementing this method would have to be serviced as a consequence of quills building up in a particular location.

In a further subsidiary aspect in accordance with any of the preceding broad aspects, the method comprises the step of routing the exhausts from the drying step and the gasification step to a single thermal oxidiser.

This is a particularly efficient method of reducing or eliminating altogether pollution from the drying and gasification steps whilst being particularly efficient in terms of the

manufacturing steps required and apparatus that would be required to carry out this method.

The invention also provides an apparatus adapted to carry out a method in accordance
5 with any of the preceding aspects.

Detailed Description of the Figure

The single figure accompanying this application illustrates one example of the method of
10 the present invention. The method illustrated shows the arrival of dry material in lorries
and the arrival of fluid/solid mixture such as a slurry in a pipe line. It is envisaged
employing a sealed unloading bay when using vehicles to transport waste. The unloading
bay may be isolated from the rest of the plant by sealed doors. Means may be provided to
ensure that the building operates under a negative pressure to reduce the possibility of
15 gases escaping. The lorry may tip its load into a sunken pit from where the waste can be
screw fed onto either a belt conveyor or any other transport means as selected by the
person skilled in the art. The pit may comprise a sealed lid to prevent odour leakage. A
drainage system is envisaged to pump any spills during unloading to an effluent treatment
plant. Strainers (for example with 4mm drain traps) may be fitted to the drainage system
20 to capture solids for further treatment.

The method envisages that waste would be stored prior or during treatment in order to
allow the method to be flexible. The waste may be collected for example in storage tanks
where for tanks containing liquid/solid mixtures, cooling coils may be employed to
25 maintain a stable temperature and reduce fugitive losses which are typically present
during hot weather. These tanks will be typically enclosed, lidded vessels. These tanks
may be emptied by pump or screw auger should the waste stored be suitable for flowing.
The tanks envisaged may incorporate vents fitted with carbon filters to prevent odour
escaping during filling or breathing. The tanks may also be fitted with level sensors and
30 alarms to prevent over-filling.

~~Prior to the steps of drying and gasification, the waste may be pre-treated. In this context,~~
~~the method envisages a step of separating the waste into a portion for shredding and a~~

portion for filtering prior to drying. A mixture of carcass, gut, bone, head, feet, feathers, sludge, blood may be separated into a solid portion including bones etc and a solid/liquid mixture. This separation may be carried out by a screening process (for example static wedge, inclined screw, rotary drum). The primarily solid waste product from the screening filtering process may be broken down by shredding. For this purpose, macerators are commonly used in the rendering industry for cutting up meat waste.

Waste with high liquid content may be submitted to other filtering means such as belt presses which could remove a large percentage of water. The invention also envisages, as a further filtering means, the use of a centrifuge which could be particularly useful for blood and effluent treatment plant sludge. A centrifuge being fed sludge, blood and mixed material may produce for example a de-watered cake of for example 24% and 39% dry solids. The cake produced by the centrifuge may be used as biomass fuel or used as soil improver or landfill (as shown on the flow chart attached). Preferably, the waste will be pre-treated to be about 30% dry so as to be ready to be fed to a drier.

The drier may be of the kind which has an air heater pumping hot air into a mixture chamber into which waste is fed and mixed to the hot air and flows through the mixer in a turbulent flow. The mixture of heated air and waste may be submitted to a centrifuge to separate the now dried solid waste and the exhaust air.

The dried waste may be stored for further treatment or directly channelled to a gas converter for gasification. The gas converter may be formed of a sealed vessel with a heated outer skin. The heat of the gas converter may be supplied by gas burners arranged at regular intervals around the vessel. The sealed vessel essentially excludes air and may run at a temperature of approximately 800°. Due to the small particle size resulting from the pre-treatment carried out on the waste the particles of waste rapidly convert to a clean, high energy gas with a relatively small portion of ash generated (approximately 7% of input). The vessel may be of the kind which allows ash particles to fall by gravity to the base of the chamber. The resulting ash consisting of residual carbon plus inert materials may be then cooled by a non-contact water jacket and collected in dedicated containers. The ash may be used for road building, construction materials and fertilisers. The gas produced by the gas converter may be ducted to a blast cooler for rapid cooling from 800°

to 22°. The cooler will be selected so as to avoid synthesis and formation of dioxins and furans. The cooled gas may then be bubbled through a scrubber using an aqueous solution of chlorine dioxide as the absorbent. After scrubbing, the gas may be fed to gas engines or gas turbines or any other suitable electricity generating means selected by the person skilled in the art from known alternatives. The skilled person may select a gas engine which is turbo charged and spark ignited. The engine exhaust gases may be ducted back to the drier in order to contribute to the heating of the drier's input air.


Emissions from the gas engine and the gas converter may be channelled to a thermal oxidiser which is adapted to control emissions to the atmosphere. The exhaust from the drier, centrifuge or other gas emissions may all be channelled to the thermal oxidiser which would limit any discharge to the atmosphere.

It is also envisaged to use the gas generated by the gas converter to fuel the gas converter itself and/or the thermal oxidiser. This would reduce the amount of gas necessary to be supplied to the gas converter and would cause the system to be largely self-fuelling. A natural gas may however be supplied to the gas converter and/or thermal oxidiser during a start up phase and means may be provided to switch between the natural gas supply and the gas generated by the converter once a threshold of converted gas is reached.

CLAIMS

1. A method of treating waste, comprising the steps of drying said waste and submitting said dried waste to gasification for producing a combustible gas, characterised in that the method comprises the step of separating the waste into a portion for shredding and a portion for filtering prior to drying.
5
2. A method of treating waste, comprising the steps of drying said waste and submitting said dried waste to gasification for producing a combustible gas, characterised in that the method comprises the step of submitting liquid waste containing solids in suspension to filtering means to substantially separate primarily solid waste from primarily liquid waste prior to drying said primarily solid waste.
10
3. A method of treating waste, comprising the steps of drying said waste by supplying heated air to said waste, submitting said dried waste to gasification for producing a combustible gas, burning said gas to generate electricity and exchanging heat from the burning of the gas with the air supplied to the waste for drying the waste.
15
4. A method of treating waste, comprising the steps of collecting and cooling waste, drying said waste and submitting said dried waste to gasification for producing a combustible gas.
20
5. A method according to any preceding claim and for the treatment of waste containing feathers, comprising the step of submitting quills of feathers to a cutter with a plurality of cutter blades so configured to section the quills.
25
6. A method according to any preceding claim, comprising the step of routing the exhausts from the drying step and the gasification step to a single thermal oxidiser.
7. A method substantially as hereinbefore described with reference to and/or illustrated in any appropriate combination of the accompanying text and/or figure.
30

8. Apparatus adapted to carry out a method in accordance with any of the preceding claims.
- 5 9. Apparatus substantially as hereinbefore described with reference to and/or illustrated in any appropriate combination of the accompanying text and/or figure.



FIGURE

PCT/GB2004/003818



This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record.

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☒ **BLACK BORDERS**

☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☐ **FADED TEXT OR DRAWING**

☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☒ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.